

# MASSTRANSIT WEB CLIENT PLUG-IN

DEPLOYING THE MASSTRANSIT WEB CLIENT PLUG-IN IN MANAGED ENVIRONMENTS

**Group Logic, Inc.**

**November 6, 2009**

**Version 2.0**

## REVISION HISTORY

Version	Author	Changes	Date
1.0	AC/JLB	Initial version.	9/5/2007
1.1	JAL	Updated for 6.0, 6.0.x	2/13/2009
2.0	DMD	Updated for 6.1	11/6/2009

## CONTENTS

Revision History.....	2
Contents.....	3
Feature Highlights .....	4
Overview .....	4
Microsoft Windows.....	5
Installation .....	5
Uninstallation.....	6
Mac OS X .....	7
Installation .....	7
Uninstallation.....	8

## FEATURE HIGHLIGHTS

### OVERVIEW

This document provides a general overview of the deployment process for the MassTransit Web Assistant and Plug-in on supported platforms, including destination component paths and additional steps that may need to be performed for both installation and uninstallation.

## INSTALLATION

The core components for the Windows version of the MassTransit Web Client Plug-in are installed into:

*C:\Program Files\Group Logic\MassTransit Web Client.*

Once installation has completed, launching the MassTransit Web Assistant will unpack, create, and propagate the necessary support files into three folders: Databases, Logs and Security. These folders are created inside the user's home folder. Depending upon the installation platform, these folders will be located in the following locations:

#### Windows XP, Windows Server 2003

*\Documents and Settings\<username>\Local Settings\Application Data\MTAssistant*

#### Windows Vista, Windows Server 2008

*\Users\<username>\AppData\Local\MTAssistant*

The following table depicts the support files and installation paths once the unpacking process has completed.

File	Location	Notes
errmsg.sys	<Install Folder>\Databases\English	
errmsg.txt	<Install Folder>\Databases\English	
queries.cfg	<Install Folder>\Databases	
queries_mysql.cfg	<Install Folder>\Databases	
queries_mysql-501.cfg	<Install Folder>\Databases	
queries_mysql-502.cfg	<Install Folder>\Databases	
queries_mysql-51.cfg	<Install Folder>\Databases	
queries_mysql-511.cfg	<Install Folder>\Databases	
queries_mysql-512.cfg	<Install Folder>\Databases	
queries_mysql-60.cfg	<Install Folder>\Databases	
queries_mysql-601.cfg	<Install Folder>\Databases	
queries_mysql-602.cfg	<Install Folder>\Databases	
queries_mysql-603.cfg	<Install Folder>\Databases	
queries_mysql-61.cfg	<Install Folder>\Databases	
queries-501.cfg	<Install Folder>\Databases	
queries-502.cfg	<Install Folder>\Databases	
queries-51.cfg	<Install Folder>\Databases	
queries-511.cfg	<Install Folder>\Databases	
queries-512.cfg	<Install Folder>\Databases	
queries-60.cfg	<Install Folder>\Databases	
queries-601.cfg	<Install Folder>\Databases	
queries-602.cfg	<Install Folder>\Databases	
queries-603.cfg	<Install Folder>\Databases	
queries-61.cfg	<Install Folder>\Databases	
11f154d6.0	<Install Folder>\Security\rootCAs	
18d46017.0	<Install Folder>\Security\rootCAs	
2edf7016.0	<Install Folder>\Security\rootCAs	
58546a39.0	<Install Folder>\Security\rootCAs	
72fa7371.0	<Install Folder>\Security\rootCAs	
7d453d8f.0	<Install Folder>\Security\rootCAs	
95750816.0	<Install Folder>\Security\rootCAs	
c19d42c7.0	<Install Folder>\Security\rootCAs	
c33a80d4.0	<Install Folder>\Security\rootCAs	
c527e4ab.0	<Install Folder>\Security\rootCAs	
d78a75c7.0	<Install Folder>\Security\rootCAs	
ddc328ff.0	<Install Folder>\Security\rootCAs	

File	Location	Notes
<b>ed049835.0</b>	<Install Folder>\Security\rootCAs	
<b>ed62f4e3.0</b>	<Install Folder>\Security\rootCAs	
<b>f73e89fd.0</b>	<Install Folder>\Security\rootCAs	
<b>openssl.cfg</b>	<Install Folder>\Security	
<b>MTAssistant.exe</b>	<Install Folder>	
<b>AssistantData.txt</b>	<Install Folder>	Lists Assistant support files, folders and paths
<b>axMTWebClient.dll</b>	<Install Folder>	
<b>FTPProxy.dll</b>	<Install Folder>	
<b>libmysqld.dll</b>	<Install Folder>	
<b>License.rtf</b>	<Install Folder>	
<b>npMTWebClient.dll</b>	<Install Folder>	

The Windows installer for the MassTransit Web Client Plug-in is built using the Windows Installer service, and comes bundled as a MSI file. Windows installations can take advantage of the features the Windows Installer service offers, including centralized deployments in Active Directory-based environments.

Detailed instructions for deploying applications in managed Windows environments using MSI installers and the Windows Installer service can be found at the Microsoft Support Knowledgebase web site:

<http://support.microsoft.com/default.aspx?scid=kb;en-us;816102>

## UNINSTALLATION

Follow these steps to uninstall the MassTransit Web Client Plug-in:

1. Quit all instances of the web browser, if any are open or running.
2. Quit the MassTransit Assistant application if it is running.
3. Uninstall through the command line OR control panel:
  - a. Unregister the Web Client ActiveX control by running the following command in the installation folder:  
`regsvr32 -u axMTWebClient.dll`

The Web Client installation folder is *C:\Program Files\Group Logic\MassTransit Web Client*.

– OR –

- b. In the Windows Control Panel, open “Programs and Features” (“Add and Remove Programs” for Windows XP/2003 Server). Select the “MassTransit Web Client” entry and click Uninstall/Remove.
4. After the uninstallation completes, delete the user-specific MassTransit Assistant data folder located in *\Documents and Settings\<User Name>\Local Settings\Application Data\MTAssistant* (or *\Users\<User Name>\AppData\Local\MTAssistant* on Windows Vista and Windows Server 2008) and its contents.

## INSTALLATION

The core components for the Mac OS X version of the MassTransit Web Client Plug-in are installed into the user's home folder on the destination machine.

Once installation has completed, launching the MassTransit Web Assistant will unpack, create, and propagate the necessary support files into two folders: Databases and Security. These folders are created inside the user's home folder.

The following table depicts the support files and installation paths once the unpacking process has completed.

File	Location	Notes
<b>errmsg.sys</b>	~/Library/Application Support/Group Logic/MassTransit Web Assistant/Databases/english	
<b>errmsg.txt</b>	~/Library/Application Support/Group Logic/MassTransit Web Assistant/Databases/english	
<b>errmsg.sys</b>	~/Library/Application Support/Group Logic/MassTransit Web Assistant/Databases/english.5.1.37	
<b>errmsg.txt</b>	~/Library/Application Support/Group Logic/MassTransit Web Assistant/Databases/english.5.1.37	
<b>queries.cfg</b>	~/Library/Application Support/Group Logic/MassTransit Web Assistant/Databases/	
<b>queries_mysql.cfg</b>	~/Library/Application Support/Group Logic/MassTransit Web Assistant/Databases/	
<b>queries_mysql-501.cfg</b>	~/Library/Application Support/Group Logic/MassTransit Web Assistant/Databases/	
<b>queries_mysql-502.cfg</b>	~/Library/Application Support/Group Logic/MassTransit Web Assistant/Databases/	
<b>queries_mysql-51.cfg</b>	~/Library/Application Support/Group Logic/MassTransit Web Assistant/Databases/	
<b>queries_mysql-511.cfg</b>	~/Library/Application Support/Group Logic/MassTransit Web Assistant/Databases/	
<b>queries_mysql-512.cfg</b>	~/Library/Application Support/Group Logic/MassTransit Web Assistant/Databases/	
<b>queries_mysql-60.cfg</b>	~/Library/Application Support/Group Logic/MassTransit Web Assistant/Databases/	
<b>queries_mysql-601.cfg</b>	~/Library/Application Support/Group Logic/MassTransit Web Assistant/Databases/	
<b>queries_mysql-602.cfg</b>	~/Library/Application Support/Group Logic/MassTransit Web Assistant/Databases/	
<b>queries_mysql-603.cfg</b>	~/Library/Application Support/Group Logic/MassTransit Web Assistant/Databases/	
<b>queries_mysql-61.cfg</b>	~/Library/Application Support/Group Logic/MassTransit Web Assistant/Databases/	
<b>queries-501.cfg</b>	~/Library/Application Support/Group Logic/MassTransit Web Assistant/Databases/	
<b>queries-502.cfg</b>	~/Library/Application Support/Group Logic/MassTransit Web Assistant/Databases/	
<b>queries-51.cfg</b>	~/Library/Application Support/Group Logic/MassTransit Web Assistant/Databases/	
<b>queries-511.cfg</b>	~/Library/Application Support/Group Logic/MassTransit Web Assistant/Databases/	
<b>queries-512.cfg</b>	~/Library/Application Support/Group Logic/MassTransit Web Assistant/Databases/	
<b>queries-60.cfg</b>	~/Library/Application Support/Group Logic/MassTransit Web Assistant/Databases/	

File	Location	Notes
<b>queries-601.cfg</b>	~/Library/Application Support/Group Logic/MassTransit Web Assistant/ Databases/	
<b>queries-602.cfg</b>	~/Library/Application Support/Group Logic/MassTransit Web Assistant/ Databases/	
<b>queries-603.cfg</b>	~/Library/Application Support/Group Logic/MassTransit Web Assistant/ Databases/	
<b>queries-61.cfg</b>	~/Library/Application Support/Group Logic/MassTransit Web Assistant/ Databases/	
<b>11f154d6.0</b>	~/Library/Application Support/Group Logic/MassTransit Web Assistant/ Security/ rootCAs	
<b>18d46017.0</b>	~/Library/Application Support/Group Logic/MassTransit Web Assistant/ Security/ rootCAs	
<b>2edf7016.0</b>	~/Library/Application Support/Group Logic/MassTransit Web Assistant/ Security/ rootCAs	
<b>58546a39.0</b>	~/Library/Application Support/Group Logic/MassTransit Web Assistant/ Security/ rootCAs	
<b>72fa7371.0</b>	~/Library/Application Support/Group Logic/MassTransit Web Assistant/ Security/ rootCAs	
<b>7d453d8f.0</b>	~/Library/Application Support/Group Logic/MassTransit Web Assistant/ Security/ rootCAs	
<b>95750816.0</b>	~/Library/Application Support/Group Logic/MassTransit Web Assistant/ Security/ rootCAs	
<b>c19d42c7.0</b>	~/Library/Application Support/Group Logic/MassTransit Web Assistant/ Security/ rootCAs	
<b>c33a80d4.0</b>	~/Library/Application Support/Group Logic/MassTransit Web Assistant/ Security/ rootCAs	
<b>c527e4ab.0</b>	~/Library/Application Support/Group Logic/MassTransit Web Assistant/ Security/ rootCAs	
<b>d78a75c7.0</b>	~/Library/Application Support/Group Logic/MassTransit Web Assistant/ Security/ rootCAs	
<b>ddc328ff.0</b>	~/Library/Application Support/Group Logic/MassTransit Web Assistant/ Security/ rootCAs	
<b>ed049835.0</b>	~/Library/Application Support/Group Logic/MassTransit Web Assistant/ Security/ rootCAs	
<b>ed62f4e3.0</b>	~/Library/Application Support/Group Logic/MassTransit Web Assistant/ Security/ rootCAs	
<b>f73e89fd.0</b>	~/Library/Application Support/Group Logic/MassTransit Web Assistant/ Security/ rootCAs	
<b>openssl.cfg</b>	~/Library/Application Support/Group Logic/MassTransit Web Assistant/ Security/	
<b>MassTransitWebPlugin.plugin</b>	~/Library/Internet Plug-Ins	

## UNINSTALLATION

1. Quit the web browser if it is running.
2. Quit the MassTransit Assistant application if it is running.
3. Navigate to `/Users/<User Name>/Library/Application Support/Group Logic/` and delete the *MassTransit Web Assistant* folder and all its contents.
4. Navigate to `/Users/<User Name>/Library/Internet Plug-Ins` and delete *MassTransitWebPlugin.plugin*.

Copyright © 2007-2009, Group Logic, Inc. All Rights Reserved.